

## 4-port Gigabit Industrial Ethernet Switch / Media Converter (ONV-IPS33042F)

### 10/100/1000M 4-port Industrial Switch / Media Converter



- ◆ Industrial design, 2x 10/100/1000M Ethernet RJ45 ports with AutoUplink™ and 2x gigabit SFP optical slots
- ◆ Supports IEEE802.3x flow control for Full-duplex Mode and back pressure for Half-duplex Mode
- ◆ RJ-45 port supports Auto MDI/MDI-X
- ◆ Automatic MAC address learning and aging
- ◆ Auto-Negotiation for Full-duplex Mode and Half-duplex Mode
- ◆ LED indicators for monitoring power/link/activity and Full-duplex or Half-duplex Mode.
- ◆ Provides DIN35 rail-type installation method
- ◆ Electromagnetic compatibility of up to 4 grade standard
- ◆ IP40 protection class
- ◆ Superior performance, successfully used in industrial field

### Product Description

4-port industrial Switch/ Media Converter, with 2 10/100/1000M Ethernet ports and 2 gigabit SFP slots, for connecting with devices like computer, Switch / Media Converter, hub, server, etc. Optical fiber SFP interface extends network transmission distance limit from 100m to above 20KM (Multi-mode 550meters, single-mode 20KM), it simply connects remote multiple motherboard servers, relays, hubs, terminals and multiple terminals.


ONV-IPS33042F product components were rigorous screened, have superior performance in stability, environmental adaptability. Shells were made by aluminum extrusion, more lighter, stronger, better resistance ability to corrosion and electromagnetic interference, ensure stability and security of Industrial Ethernet Switch / Media Converter, plus standard DIN-35 rail type installation method.

## Product Specifications

|                                            |                                                                                                                                                                                                                                                        |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Name                               | 4-port Industrial Ethernet Switch / Media Converter                                                                                                                                                                                                    |
| Product Model                              | ONV-IPS33042F                                                                                                                                                                                                                                          |
| Interface                                  | 2 x 10/100/1000M copper RJ45 ports+2x gigabit SFP optical slots                                                                                                                                                                                        |
| Switch / Media Converter Processing Scheme | Store-and-Forward                                                                                                                                                                                                                                      |
| Optical Wave Length                        | 1310nm                                                                                                                                                                                                                                                 |
| Optical Transmission Distance              | Single-mode:20km, Multi-mode:550m(long-distance mode can be customized)                                                                                                                                                                                |
| MTBF:                                      | 300,000 hours                                                                                                                                                                                                                                          |
| Standards Compliance                       | IEEE802.3: CSMA/CD;<br>IEEE802.3i: 10Base-T;<br>IEEE802.3u: 100Base-T;<br>IEEE802.3ab: 1000Base-T;<br>IEEE802.3z: 1000Base-LX                                                                                                                          |
| LED Indicators                             | Power: PWR; Link; PoE;L/A                                                                                                                                                                                                                              |
| Power                                      | Removable 6 green terminal wiring<br>(Power is not included in the package )                                                                                                                                                                           |
| Product Size                               | W×D×H: 110x80x43mm                                                                                                                                                                                                                                     |
| Working Environment                        | Working Temperature: -40~75℃;<br>Storage Temperature: -40~75℃;<br>Working Humidity: 5%~95%(non-condensing);<br>Storage Humidity: 5%~95%(non-condensing);<br>Working high: Altitude of 3000 m(10,000ft);<br>Storage high: Altitude of 3000 m(10,000ft); |
| Radiation                                  | CE mark, commercial<br>FCC Part 15 Class B<br>VCCI Class B<br>EN 55022 (CISPR 22), Class B                                                                                                                                                             |
| Safety                                     | CE Mark, commercial<br>CE/LVD EN60950                                                                                                                                                                                                                  |
| Warranty                                   | 5 years warranty                                                                                                                                                                                                                                       |


## Product Display

Size: 110x80x43mm



A. System Working Indicator    B. RJ45 Port    C. Uplink SFP Optical Port

## Product Application



**Product Ordering Information**

**Product Model:** ONV-IPS33042F

**Product Description:** 10/100/1000M 4-port Industrial Ethernet Switch / Media Converter with 2 gigabit RJ45 ports and 2 gigabit SFP slots. Rail-type installation.

**Package List**

|              |                                                            |
|--------------|------------------------------------------------------------|
| Package List | 4-port Industrial Switch / Media Converter (ONV-IPS33042F) |
|              | User Guide                                                 |
|              | Warranty Card                                              |

**Note:** SFP module and power adapter is not included in this package. Please order it separately.

**Contact Us:**

**ONV Headquarter**

Tel: 0755-33376606

Fax: 0755-33376608

Technical Support: 0755-33376610

Website: <http://www.onvcom.com>

Zip: 518000

Address: Room 1003, Block D, Terra Building, Futian district,  
Shenzhen, China

**ONV Factory**

Tel: 0755-33079466

Fax: 0755-33079477

Email: [onv@onvcom.com](mailto:onv@onvcom.com)

Website: <http://www.onvcom.com>

Address: The 5th Floor, A building, SenYuTai  
(Science&Technology) Park, HuaNing Road,  
Dalang sub-district, Longhua new district ,Shenzhen ,China

