4-port Gigabit Industrial Ethernet PoE Switch (ONV-IPS33042PF)

10/100/1000M 4-port Industrial PoE Switch















- ◆ Industrial design, 2x 10/100/1000M Ethernet RJ45 ports with AutoUplink™ and 2x gigabit SFP optical slots
- ◆Supports IEEE802.3x flow control for Full-duplex Mode and back pressure for Half-duplex Mode
- ◆RJ-45 port supports Auto MDI/MDI-X
- Automatic MAC address learning and aging
- ◆ Auto-Negotiation for Full-duplex Mode and Half-duplex Mode
- ◆LED indicators for monitoring power/link/activity and Full-duplex or Half-duplex Mode.
- ◆ Provides DIN35 rail-type installation method
- ◆Electromagnetic compatibility of up to 4 grade standard
- ◆IP40 protection class
- ◆ Superior performance, successfully used in industrial field
- ◆ Default PoE power supply type is end-span, mid-span
- ◆2 PoE ports support both IEEE802.3af and IEEE802.3at standard

Product Description

4-port industrial PoE switch, with 2 10/100/1000M Ethernet PoE ports and 2 gigabit SFP slots, for connecting with devices like computer, switch, hub, server, etc, as well as powering network camera, VoIP, wireless AP and other PoE supported devices. Optical fiber SFP interface extends network transmission distance limit from 100m to above 20km. It simply connects remote multiple motherboard servers, hubs, relays, terminals and multiple terminals.

ONV-IPS33042PF product components were rigorous screened. have superior performance in stability, environmental adaptability. Shells were made by aluminum extrusion, more lighter, stronger, better resistance ability to corrosion and electromagnetic interference, ensure stability and security of Industrial Ethernet Switch, plus standard DIN-35 rail type installation method. Power input also chooses a suitable industry-standard types of power, more powerful suitability to environment.




: Product Specifications


Product Name	4-port Industrial Ethernet PoE Switch
Product Model	ONV-IPS33042PF
Interface	2 x 10/100/1000M copper RJ45 ports+2x gigabit SFP optical slots
PoE Specification	PoE Standard: Supports both IEEE802.3af and IEEE802.3at
	Single PoE Port Power Output:
	Max. 15.4 watts (IEEE 802.3af)
	Max. 30 watts (IEEE 802.3at)
	2 PoE ports, auto detect AF/AT devices
	PoE Port Output Voltage: DC48-57V
	Power Pin Assignment:1/2+;3/6-
Switch Processing	Store-and-Forward
Scheme	Store-and-Forward
Optical Interface	SFP slot
Optical Transmission	550m 20km or many depends on ontical module year and
Distance	550m-20km, or more, depends on optical module you used
MTBF:	300,000 hours
	IEEE802.3: CSMA/CD;
Standards Compliance	IEEE802.3i: 10Base-T;
	IEEE802.3u: 100Base-T;
	IEEE802.3ab: 1000Base-T;
	IEEE802.3z: 1000Base-LX
LED Indicators	Power: PWR; Link; PoE;L/A
Dower	Removable industrial 3-pin terminal block (Power adapter is not
Power	included in the package, need to order it separately)
Product Size	W×D×H: 110x80x43mm
	Working Temperature: -40~75°C;
Working Environment	Storage Temperature: -40∼75°C;
	Working Humidity: 5%~95%(non-condensing);
	Storage Humidity: 5%~95%(non-condensing);
	Working high: Altitude of 3000 m(10,000ft);
	Storage high: Altitude of 3000 m(10,000ft);
Radiation	CE mark, commercial
	FCC Part 15 Class B
	VCCI Class B
	EN 55022 (CISPR 22), Class B
Safety	CE Mark, commercial
	CE/LVD EN60950
Warranty	5 years warranty



: Product Display

Size:110x80x43mm






A. System Working Indicator

B. RJ45 Port C. Uplink SFP Optical Port

Product Application





: Product Ordering Information

Product Model: ONV-IPS33042PF

Product Description: 10/100/1000M 4-port Industrial Ethernet PoE Switch with 2 gigabit RJ45 ports and 2 gigabit SFP slots. 2 RJ45 ports support PoE power supply function, compatible with

both IEEE802.3af/IEEE802.3at standard. Rail-type installation.

: Package List

	4-port Industrial PoE Switch (ONV-IPS33042PF)	
Package List	User Guide	
	Warranty Card	

Note: SFP modules and power adapter is not included in this package. Please order it separately.

Contact Us:

ONV Headquarter

Tel: 0755-33376606 Fax: 0755-33376608

Technical Support: 0755-33376610 Website: http://www.onvcom.com

Zip: 518000

Address: Room 1003, Block D, Terra Building, Futian district,

Shenzhen, China
ONV Factory

Tel: 0755-33079466 Fax: 0755-33079477 Email: onv@onvcom.com

Website: http://www.onvcom.com

Address: The 5th Floor, A building, SenYuTai (Science&Technologoy) Park, HuaNing Road,

Dalang sub-district, Longhua new district, Shenzhen, China

